

# DECLARATION OF PERFORMANCE



N°: IKO DUO GREEN F/STICK NH 001 EN

1. **Identification code** IKO DUO GREEN F/STICK
2. **Intended use** Bitumen damp proof sheets including bitumen basement tanking sheets
3. **Manufacturer** IKO-AXTER  
6, rue Laferrière  
75009 Paris  
France  
www.iko.com/dop
4. **Authorised representative** NA
5. **System of assessment and verification of constancy of performance of the product** System 2+
- 6a. **Product covered by the harmonised standard:** EN 13969  
The CSTB, notify body n° 0679 has performed under system 2+ the initial inspection of factory production control the continuous surveillance, assessment and evaluation of factory production control and issued the certificate of conformity of the factory production control n° 0679 - CPR - 0129. The SGS INTRON Certificatie B.V, notify body n° 0958 has performed under system 2+ the initial inspection of factory production control the continuous surveillance, assessment and evaluation of factory production control and issued the certificate of conformity of the factory production control n° 0958-CPR-2016/3.
- 6b. **European Technical Assessment :** NA
7. **Declared performance**

Essential characteristics		Performance			Units	Harmonised technical specification
		Value	Tolerance			
	Min		Max			
Resistance to tearing (nail shank)	Longitudinal direction	300	150	-	N	EN 13969:2005/A1:2007
	Cross direction	300	150	-		
Tensile properties : maximum tensile force	Longitudinal direction	700	500	-	N/50mm	
	Cross direction	550	440	-		
Tensile properties : maximum elongation	Longitudinal direction	35	25	-	%	
	Cross direction	35	25	-		
Resistance to static loading (method B)		≥ 5			kg	
Watertightness under 60 kPa		Conform			-	
Durability EN 1296	Watertightness	Conform			-	
Durability EN 1847	Watertightness	NPD			-	
Reaction to fire		NPD			-	
Dangerous substances		Note 2 and 3			-	

NA: not applicable due to use of product.

Note 1 : As the resistance to external fire exposure of roof depends on the complete system, no performance can be declared for the product alone.

Note 2 : This product does not contain asbestos or tar constituents

Note 3 : In the absence of European harmonized test methods, verification and declaration on release/content has to be done taking into account national provisions in the place of use.

The performances of the product identified above are in conformity with the declared performances.

In accordance with Regulation (UE)n°305/2011 , this declaration of performance is issued under the sole responsibility of the manufacturer identified above

Signed for and on behalf of the manufacturer by:  
Peter Fleischmann (Managing Director)

Paris  
23/10/2023